

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26120 XSL Translucent Yellow

Page 1

Revised edition: 30.11.2021

Version: 8.0

Printed: 17.02.2022

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: XSL Translucent Yellow
Article No.: 26120
UFI: --

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:
Coloring agent for dye and varnish industry
Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG
Address: Hauptstr. 41-47, 88317 Aichstetten, Germany
Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606
Internet: www.kremer-pigmente.com
EMail: info@kremer-pigmente.com
Importer: --

1.4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

1.4.2 Poison Center:

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

No classification required according to the CLP/GHS guidelines.

Hazard designation:

Not applicable.

Signal word:

Hazard designation:

EUH208

May produce an allergic reaction.

Safety designation:

Hazardous components for labelling:

2.3. Other Hazards

Contains 1,2-Benzisothiazol-3(2H)-one: can cause allergic

next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26120 XSL Translucent Yellow

Page 2

Revised edition: 30.11.2021

Version: 8.0

Printed: 17.02.2022

reactions.

This product is capable of dust explosion under certain circumstances.

3. Composition/Information on Ingredients

3.1. Substance

3.2. Mixture

Chemical Characterization:

Iron oxide pigment, water dispersable powder. Pigment Yellow 42, C.I. 77492

Information on Components / Hazardous Ingredients:

2-Butenedioic acid (2Z-)- polymer with 2-methyl-1-propene and octadecene, sodium salt (H319)	25 - 50 %	CAS-Nr: 191175-18-5 EINECS-Nr: EC-Nr:
--	-----------	---

1,2-Benzisothiazol-3(2H)-one (H302-315-317-318-400 (M=1)-411)	0 - 0.5 %	CAS-Nr: 2634-33-5 EINECS-Nr: 220-120-9 EC-Nr: 613-088-00-6
---	-----------	--

Additional information:

4. First Aid Measures

4.1. Description of the First Aid Measures

General information:

Remove contaminated clothes.

After inhalation:

Supply fresh air and seek medical advice in case of complaints.

After skin contact:

Remove contaminated clothing. Wash off immediately with plenty of water and soap.

After eye contact:

Rinse open eyes with plenty of water for at least 15 minutes.

After ingestion:

Rinse mouth and give 200 - 300 ml of water to drink.

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

None known.

Effects:

4.3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Symptomatic treatment (decontamination, vital functions), no specific antidote known.

5. Fire-Fighting Measures

5.1. Extinguishing Media

Suitable extinguishing media:

next page: 3

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26120 XSL Translucent Yellow

Page 3

Revised edition: 30.11.2021

Version: 8.0

Printed: 17.02.2022

Extinguishing powder, foam.

Unsuitable extinguishing media:

Carbon dioxide (CO₂)

5.2. Special Hazards arising from the Substance or Mixture

Special hazards:

In case of fire: hazardous vapors may be released. Development of fumes/aerosol.

5.3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

Avoid formation of dust: risk of dust explosion.

Dispose of fire debris and contaminated extinguishing water in accordance with local regulations.

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Avoid formation of dust, wear protective clothing.

6.2. Environmental Precautions

Environmental precautions:

Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Small spills:

Clean up with suitable appliance and dispose adequately.

Large spills:

Contain with dust binding material and dispose accordingly.

6.4. Reference to other Sections

Protective clothing, see Section 8.

See Section 13 for information on disposal.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Respiratory protection when handling without exhaust system.

Hygienic measures:

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and cool room.

Protect against heat.

Requirements for storage areas and containers:

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26120 XSL Translucent Yellow

Page 4

Revised edition: 30.11.2021

Version: 8.0

Printed: 17.02.2022

Information on fire and explosion protection:

Avoid dust formation. Protect against electrostatic charging.

Storage class:

11; Combustible solids (TRGS 510)

Further Information:

Maximum storage temperature: 50°C (122°F)

7.3. Specific End Use(s)

Further information:

8. Exposure Controls/Personal Protection

8.1. Parameters to be Controlled

Parameters to be controlled (DE):

none known

Parameters to be controlled:

Derived No-Effect Level (DNEL):

*1,2-Benzisothiazol-3(2H)-one (2634-33-5):
6.81 mg/m³ (worker, inhalation, long-term exposure - systemic effects)
0.966 mg/kg bw/d (worker, skin contact, long-term exposure - systemic effects)
1.2 mg/m³ (consumer, inhalation, long-term exposure - systemic effects)
0.345 mg/kg bw/d (consumer, skin contact, long-term exposure - systemic effects)*

Predicted No-Effect Concentration (PNEC):

*1,2-Benzisothiazol-3(2H)-one (2634-33-5):
Fresh water: 4.03 µg/l
Sea water: 0.403 µg/l
Fresh water sediment: 49.9 µg/kg
Sea water sediment: 4.99 µg/kg
Sewage treatment system (STP): 1.03 mg/l
Soil: 3 mg/kg*

Additional Information:

8.2. Exposure Controls

Technical protective measures:

Personal Protection

General protective measures:

*The usual precautionary measures are to be adhered to when handling chemicals.
Protective clothing recommended due to the coloring effects of the product.*

Respiratory protection:

Suitable respiratory protection for lower concentration or short-

next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26120 XSL Translucent Yellow

Page 5

Revised edition: 30.11.2021

Version: 8.0

Printed: 17.02.2022

term effect: particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, type P2 or FFP2).

Hand protection:

Protective gloves (EN 374)

The manufacturer's directions for use should be observed because of the great diversity of types.

Protective glove material:

Nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinyl chloride (0.7 mm).

Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material and dexterity. Always seek advice from glove suppliers.

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

Protective clothing.

Environmental precautions:

Prevent from getting into the soil, surface water and sewage system.

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Form: granules

Color: yellow

Odor: odorless

Odor threshold:
no information available

pH-Value: 7.5 - 9.5 (100 g/l)

Melting temperature:
not determined

Boiling temperature:
not determined

Flash point:
not applicable

Evaporation rate:
This product is a non-volatile solid.

Flammability (solid, gas):
not highly flammable

Upper explosion limit:
no information available

Lower explosion limit:
no information available

Vapor pressure:

next page: 6

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26120 XSL Translucent Yellow

Page 6

Revised edition: 30.11.2021

Version: 8.0

Printed: 17.02.2022

not applicable

Vapor density:

This product is a non-volatile solid.

Density:

not available

Solubility in water:

50 g/l (15°C)

Coefficient of variation (n-Octanol/Water):

not applicable

Auto-ignition temperature:

Product is not auto-ignitable (Test type: Spontaneous self-ignition at room temperature)

304°C; Test type: Spontaneous self-ignition at elevated temperature (Method: VDI 2263, Sheet 1, 1.4.1)

> 400°C; Test type: Spontaneous self-ignition at elevated temperature (Method: VDI 2263, Sheet 1, 1.3)

No self ignition was observed up to the specified temperature.

Decomposition temperature:

*220 - 430°C, < 300 J/g
(DSC (DIN 51007))*

Viscosity, dynamic:

not applicable

Explosive properties:

Product does not present an explosion hazard.

Oxidizing properties:

not oxidizing

Bulk density:

300 - 1000 kg/m³

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic:

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

Ignition temperature: 480°C

Burning rate: 200 mm

Self-heating ability: This product is not a self-heating substance according to the UN class 4.2 (UN Test N.4)

Hygroscopy: not hygroscopic

10. Stability and Reactivity

10.1. Reactivity

Stable if used according to specifications.

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26120 XSL Translucent Yellow

Page 7

Revised edition: 30.11.2021

Version: 8.0

Printed: 17.02.2022

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

The product may contain explosive fine dust or such dust may be produced by abrasion during transport or product transfer.

10.4. Conditions to Avoid

Conditions to avoid:

No information available.

Thermal decomposition:

10.5. Incompatible Materials

None known.

10.6. Hazardous Decomposition Products

None if stored and handled according to specifications.

10.7. Further Information

11. Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Practically not toxic after a single oral exposure.

LD50, oral:

> 5000 mg/kg

LD50, dermal:

> 5000 mg/kg

LC50, inhalation:

No information available.

Primary effects

Irritant effect on skin:

Non irritating (rabbit; OECD 431/439)

Irritant effect on eyes:

Non-irritating to eyes (rabbit; OECD 437/492)

Inhalation:

No information available.

Ingestion:

No information available

Sensitization:

Non sensitizing (guinea pig; OECD 406).

Mutagenicity:

No mutagenic effects known.

Reproductive toxicity:

No relevant data found.

Carcinogenicity:

No cancerogenic effect known.

Teratogenicity:

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26120 XSL Translucent Yellow

Page 8

Revised edition: 30.11.2021

Version: 8.0

Printed: 17.02.2022

No information available.

Specific target organ toxicity (STOT):

Single exposure: no organospecific toxicity expected.

Repeated exposure: no information available.

Additional toxicological information:

Aspiration hazard: not applicable

The data refer to the properties of the individual components.

12. Ecological Information

12.1. Aquatic Toxicity

Not hazardous for aqueous organisms.

Fish toxicity:

LC50: > 100 mg/l (96h, Leuciscus idus)

Daphnia toxicity:

not determined

Bacteria toxicity:

not determined

Algae toxicity:

not determined

12.2. Persistency and Degradability

Not readily biodegradable.

Can be eliminated from water by chemical adsorption.

12.3. Bioaccumulation

No bioaccumulation expected.

12.4. Mobility

Does not evaporate from the surface of the water to the atmosphere.

Adsorption to solid soil phase is not expected.

12.5. Results of PBT- und vPvP Assessment

According to Annex VIII to Regulation (EC) No. 1907/2006 (REACH): this product is neither a PBT (persistent/bioaccumulative/toxic) or vPvB (very persistent/very bioaccumulative/very toxic) substance nor does it contain a PBT or vPvB substance.

12.6. Other Adverse Effects

Water hazard class:

1, slightly hazardous

Do not let run into surface waters, waste water or soil.

Behaviour in sewage systems:

Treatment in biological waste treatment plant has to be performed according to local and administrative regulations.

Further ecological effects:

There are no data available on the product itself.

AOX Value:

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26120 XSL Translucent Yellow

Page 9

Revised edition: 30.11.2021

Version: 8.0

Printed: 17.02.2022

13. Disposal Considerations

13.1. Waste Treatment Methods

Product:

In accordance with current regulations, product may be taken to a waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.

European Waste Code (EWC):

Uncleaned packaging:

Contaminated packaging must be disposed like the substance. Non contaminated packaging can either be recycled or utilized for energy (incineration).

Waste Code No.:

14. Transport Information

14.1. UN Number

ADR, IMDG, IATA

14.2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR / DOT (US) (land transportation).

IMDG/IATA:

Not hazardous goods

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14.4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14.5. Environmental Hazards

None

next page: 10

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26120 XSL Translucent Yellow

Page 10

Revised edition: 30.11.2021

Version: 8.0

Printed: 17.02.2022

14.6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14.7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

not applicable

14.8. Further Information

15. Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (according to the German Regulation AwSV)

Local regulations on chemical accidents:

Seveso III Directive: not applicable under Directive 2012/18/EC.

Employment restrictions:

Restriction and prohibition of application:

Technical instructions on air quality:

15.2. Chemical Safety Assessment

A Chemical Safety Assessment is not necessary for this product.

15.3. Further Information

Regulation (EC) 2037/2000 - Substances that Deplete the Ozone Layer: not regulated / not applicable

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.