According to regulation (EC) No. 1907/2006 (REACH)



50083 XIRALLIC® T 60-22 WNT Diamond Amethyst

Page 1

Revised edition: 24.05.2017 Version: 2.6 Printed: 09.10.2017

1. Identification of the Substance/Mixture and of the Company/Undertaking

1. 1. Product Identifier

Product Name: XIRALLIC® T 60-22 WNT Diamond Amethyst

Article No.: 50083

1. 2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Coloring agent

Uses advised against:

1. 3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.de

EMail: info@kremer-pigmente.de

Importer: ---

1. 4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

2. Hazards Identification

2. 1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as

hazardous according to CLP/GHS.

Classification according to Directive No.

67/548/EC or No. 1999/45/EC

The material is not subject to classification according to EC lists.

Safety Phrases:

Possible Environmental Effects:

2. 2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as

hazardous according to CLP/GHS.

Hazard designation:

Not applicable.

Signal word:

Hazard designation:

Safety designation:

P260a Do not breathe dust.

Hazardous components for labelling:

According to regulation (EC) No. 1907/2006 (REACH)



50083 XIRALLIC® T 60-22 WNT Diamond Amethyst

Page 2

Revised edition: 24.05.2017 Version: 2.6 Printed: 09.10.2017

2. 3. Other Hazards

No special hazards known.

3. Composition/Information on Ingredients

3. 1. Substance

3. 2. Mixture

Chemical Characterization: Aluminium oxide laminated with titanium dioxide, tin oxide, zirconic

oxide and additives.

Information on Components / Hazardous

Ingredients:

Tin oxide (Xi; R37); REACH Reg. No. 01-

2119946062-44

1 - 10 % CAS-Nr: 18282-10-5

EINECS-Nr: 242-159-0

EC-Nr:

Additional information:

4. First Aid Measures

4. 1. Description of the First Aid Measures

General information:

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air. Consult physician if symptoms persist.

After skin contact:

Wash off with water.

After eye contact:

Rinse eyes with water.

After ingestion:

Drink plenty of water. Get medical help in case of discomfort.

4. 2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

No further information available.

4. 3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

No information available.

5. Fire-Fighting Measures

5. 1. Extinguishing Media

Suitable extinguishing media:

Use extinguishing media for surrounding fire.

Unsuitable extinguishing media:

None known.

5. 2. Special Hazards arising from the Substance or Mixture

According to regulation (EC) No. 1907/2006 (REACH)



50083 XIRALLIC® T 60-22 WNT Diamond Amethyst

Page 3

Revised edition: 24.05.2017 Version: 2.6 Printed: 09.10.2017

Special hazards:

In case of fire: hazardous vapors may be released.

5. 3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

Collect contaminated extinguishing water and debris separately;

avoid contamination of sewage system.

6. Accidential Release Measures

6. 1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Do not inhale dust.

Evacuate the danger area, observe emergency procedures,

consult an expert.

6. 2. Environmental Precautions

Environmental precautions:

Prevent contamination of soil, drains and surface waters.

6. 3. Methods and Material for Containment and Cleaning Up

Methods and material:

Take up mechanically and collect in suitable container for disposal.

Rinse spill area. Avoid dust formation.

6. 4. Reference to other Sections

Dispose of contaminated material according to Section 13.

7. Handling and Storage

7. 1. Precautions for Safe Handling

Instructions on safe handling:

Avoid formation of dust. Do not inhale dust.

Hygienic measures:

No further measures, see Section 8.

7. 2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry room.

Requirements for storage areas and

containers:

No special measures necessary.

Information on fire and explosion

protection:

No special measures necessary.

Storage class (VCI):

10-13

Further Information:

According to regulation (EC) No. 1907/2006 (REACH)



50083 XIRALLIC® T 60-22 WNT Diamond Amethyst

Page 4

Revised edition: 24.05.2017 Version: 2.6 Printed: 09.10.2017

7. 3. Specific End Use(s)

Further information:

See Section 1.2.; no other uses provided

8. Exposure Controls/Personal Protection

8. 1. Parameters to be Controlled

Parameters to be controlled (DE):

TRGS 900

TLV: 1.25 mg/m3 air-borne fraction (general dust limit) TLV: 10 mg/m3 inhalable fraction (general dust limit)

Peak limit category II (2)

Titanium dioxide (CAS 13463-67-7): TLV (TRGS 900): 1.25 mg/m3 (airborne dust), 10 ml/m3 (inhalable dust); 2(II) Aluminium oxide (CAS 1344-28-1): AGW (TRGS 900): 1.25 mg/m3 (airborne dust), 10 mgl/m3 (inhalable dust); 2(II) Silicon dioxide, CAS 112926-00-8 (7631-86-9), TWA-Value: 4

mg/m3 (inhalable dust fraction)

Tin dioxide (CAS 18282-10-5): TLV (TRGS 900): 2 mg/m3

(inhalable fraction; as Sn)

Category II: substances with a resorptive effect.

Parameters to be controlled:

Tin dioxide (CAS 18282-10-5); ECTLV: 2 mg/m3 (Time weighted

average; as Sn)

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration

(PNEC):

Additional Information:

8. 2. Exposure Controls

Technical protective measures:

Technical protective measures have priority to personal protective

measures.

Personal Protection

General protective measures:

Wash hands before breaks and after work.

Respiratory protection:

Dust mask recommended when very dusty (with particle filter P1).

Hand protection:

Not required

Protective glove material:

Eye protection:

Safety glasses (EN 166)

Body protection:

Environmental precautions:

No special measures required.

According to regulation (EC) No. 1907/2006 (REACH)



50083 XIRALLIC® T 60-22 WNT Diamond Amethyst

Page 5

Revised edition: 24.05.2017 Version: 2.6 Printed: 09.10.2017

9. Physical and Chemical Properties

9. 1. Information on Basic Physical and Chemical Pr	roperties
---	-----------

Form: powder
Color: white
Odor: odorless

Odor threshold:

No information available.

pH-Value: 4.3 - 7.3 (100 g/l H2O, 20°C)

Melting temperature:

not available

Boiling temperature:

not available

Flash point:

not applicable

Evaporation rate:

No information available.

Flammability (solid, gas):

not available

Upper explosion limit:

no information available

Lower explosion limit:

no information available

Vapor pressure:

not applicable

Vapor density:

No information available.

Density: 3.7 - 3.9 g/cm3 (20°C)

Solubility in water: practically insoluble

Coefficient of variation (n-

Octanol/Water):

no information available

Auto-ignition temperature:

No information available.

Decomposition temperature:

No data available.

Viscosity, dynamic:

not available

Explosive properties:

Product presents an explosion hazard.

According to regulation (EC) No. 1907/2006 (REACH)

Irritant effect on skin:



50083 XIRALLIC® T 60-22 WNT Diamond Amethyst

Page 6

Version: 2.6 Revised edition: 24.05.2017 Printed: 09.10.2017 Oxidizing properties: No information available. Bulk density: 320 - 400 kg/m3 9. 2. **Further Information** Solubility in solvents: Viscosity, kinematic Burning class: Solvent content: Solid content: Particle size: 5 - 30 µm Other information: 10. **Stability and Reactivity** 10.1. Reactivity Stable if used according to specifications. 10.2. **Chemical Stability** Stable at room temperature. 10.3. Possibility of Hazardous Reactions No information available. 10.4. **Conditions to Avoid** Conditions to avoid: No further information available. Thermal decomposition: No data available. 10.5. **Imcompatible Materials** No information available. 10.6. **Hazardous Decomposition Products** None known. **Further Information** 10.7. 11. **Toxicological Information** 11. 1. Information on Toxicological Effects Acute Toxicity LD50, oral: Tin doxide: > 20000 mg/kg (rat; RTECS) LD50, dermal: No information available. LC50, inhalation: No information available. Primary effects

According to regulation (EC) No. 1907/2006 (REACH)



50083 XIRALLIC® T 60-22 WNT Diamond Amethyst

Page 7

Revised edition: 24.05.2017 Version: 2.6 Printed: 09.10.2017

No information available Irritant effect on eyes: No information available. Inhalation: No information available. Ingestion: No information available Sensitization: No relevant data found. Mutagenicity: No relevant data found. Reproductive toxicity: No relevant data found. Carcinogenicity: No relevant data found. Teratogenicity: No information available. Specific target organ toxicity (STOT): No relevant data found.

12. Ecological Information

Additional toxicological information:

12. 1. Aquatic Toxicity

Fish toxicity:

No data available.

practice.

the respiratory system.

Daphnia toxicity:

Tin dioxide: EC50: > 100 mg/l (48h, Daphnia magna) Tin dioxide: NOEC: > 100 mg/l (48h, Daphnia magna)

Avoid inhalation of dust. Even inert dusts can impair the function of

Handle in accordance with good industrial hygiene and safety

Bacteria toxicity:

no information available

Algae toxicity:

No information available.

12. 2. Persistency and Degradability

No information available.

12. 3. Bioaccumulation

No information available.

12. 4. Mobility

No information available.

According to regulation (EC) No. 1907/2006 (REACH)

Classification code:

IMDG Class (sea):

Hazard no.:

IATA Class:

EmS No.:

Tunnel restriction code:



50083 XIRALLIC® T 60-22 WNT Diamond Amethyst

Page 8

Revised edition: 24.05.2017 Version: 2.6 Printed: 09.10.2017 12. 5. Results of PBT- und vPvP Assessment PBT/vPvB assessment not available as chemical safety assessment is not required / not conducted. 12.6. Other Adverse Effects Water hazard class: 1, slightly hazardous Behaviour in sewage systems: Further ecological effects: When used properly, no ecological problems expected. AOX Value: 13. **Disposal Considerations** 13. 1. **Waste Treatment Methods** Product: Dispose of product residues according to the waste disposal guidelines 2008/98/EC as well as according to official national and local regulations. Do not mix with other waste. European Waste Code (EWC): Uncleaned packaging: Packaging may be disposed of in the same manner as the product. Waste Code No.: 14. **Transport Information** 14. 1. **UN Number** ADR, IMDG, IATA 14. 2. **UN Proper Shipping Name** ADR/RID: No hazardous goods according to ADR (land transportation). IMDG/IATA: No hazardous goods according to IMDG. 14. 3. **Transport Hazard Classes** ADR Class: not applicable Hazard no.:

next page:

According to regulation (EC) No. 1907/2006 (REACH)



50083 XIRALLIC® T 60-22 WNT Diamond Amethyst

Page 9

Revised edition: 24.05.2017 Version: 2.6 Printed: 09.10.2017

not applicable

Hazard no .:

14. 4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14. 5. Environmental Hazards

None

14. 6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14. 7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

not applicable

14. 8. Further Information

15. Regulatory Information

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (German Regulation)

Local regulations on chemical accidents:

Seveso III: does not apply

Employment restrictions:

Restriction and prohibition of application:

Technical instructions on air quality:

15. 2. Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this

product.

EC SVHC-List: This product does not contain a substance in the candidate list for substances of very high concern above the legal limit value (> 0.1 % (w/w) REACH Regulation (EC) 1907/2006,

Article 57).

15. 3. Further Information

Regulation (EC) 1005/2009 - Substances that Deplete the Ozone

Layer: not regulated / not applicable

Regulation (EC) 850/2004 - Persistent organic pollutants and amending Directive 79/117/EEC: not regulated / not applicable

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.